



perceptivesoftware
from Lexmark

Recommended Scanner Guide September 2014

Perceptive Software
22701 West 68th Terrace
Shawnee, KS 66226
USA
toll-free +1 800 941 7460
tel +1 913 422 7525
fax +1 913 422 3820

Lexmark International Technology S.A.
Bâtiment ICC - Bloc A
20, route de Pré-Bois
Case postale 508
CH - 1215 Genève
tel +41 (0) 22 710 70 50
fax +41 (0) 22 710 70 51

© 2013 Perceptive Software
ImageNow is a registered trademark of Perceptive Software. All other product and company names may be trademarks of their respective owners.

Selecting a Scanner for Perceptive

Perceptive products are compatible with a wide variety of scanners; the one you choose depends upon your volume and paper handling requirements. Some considerations include:

Document Conditions: The first step in determining the best scanner for a particular application is to clearly identify the documents to be scanned. Characteristics include document size, color, and volume; you should also consider the contrast between printed matter and background, as well as the thickness of the paper.

Paper Handling: An automatic document feeder (ADF) provides a more productive scan facility, although some flatbed functionality may be appropriate on documents made from unusually thick material or of small size, such as driver's licenses, or for damaged or delicate documents.

Scan Speed: Scan volume, document prep, loading and unloading of batches, coffee breaks, and paper jams are all factors affecting scanning speed. It's important to analyze how these factors will affect your capture process when choosing scanners and determining how to distribute your scanning load. One high-speed scanner with distributed indexing makes sense for some environments, where others with the same scan volume are served better with several lower-speed scanners offering greater redundancy.

Scan Resolution: The majority of business documents are scanned bi-tonally at 200-300 dpi, although there are some exceptions. Your Perceptive Software Implementation Consultant can configure CaptureNow to control your scanner for various levels of scan resolution, color, and other factors to accommodate various document types.

Scanner Hardware Interface: SCSI or USB? CaptureNow supports both. The interface you'll use depends on your scanner performance requirements.

Perceptive supports hundreds of scanners. To assist you in selecting the right scanning devices for your organization, this document provides technical specifications and pricing information about specific scanners that have worked well for other Perceptive Software customers. These general-use scanners are suited for most normal business documents. If you have unusual document requirements, we can help you identify alternative scanner models that might better suit your needs.

Once you narrow your options, your Perceptive Software implementation team can help you rank the final candidates, drawing on their industry experience to help you make the right choice. Please call your account executive for the latest pricing, and note that the CaptureNow software is purchased separately from scanner hardware.

Document Index

Scanner Classification	Page
Desktop Scanners	2
Workgroup Scanners	3
Production Scanners	4
High-Level Production Scanners	5
MultiFunction Printers (MFPs)—Laser	6 - 11

Desktop Scanners

Scanner Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Daily Duty Cycle	Max. Doc. Size	Software Included	Interface	Req. Capture License	U.S. Price
Canon DR-2580c	600 dpi	Simplex: 25 ppm Duplex: 50 ipm (@ 200 dpi)	Simplex: 17 ppm Duplex: 32 ipm (@ 150 dpi)	50 sheets	1,000 Scans	8.5" x 14" Up to 39" Long Document Mode	VRS Basic	USB	CaptureNow ISIS Level 2 (sold at Level 1 price), or CaptureNow Adrenaline	\$900
Epson DS-760	600 dpi	Simplex: 45 ppm Duplex: 90 ipm (@ 200 dpi)	Simplex: 45 ppm Duplex: 90 ipm (@ 200 dpi)	80 sheets	4,500 Scans	8.5" x 34"	N/A	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN	\$925
Epson DS-860	600 dpi	Simplex: 65 ppm Duplex: 130 ipm (@ 200 dpi)	Simplex: 65 ppm Duplex: 130 ipm (@ 200 dpi)	80 sheets	6,000 Scans	8.5" x 34"	N/A	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN	\$1125
Fujitsu fi-7160	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	80 sheets	2,000 Scans	8.5" x 14" Up to 122" Long Document Mode	PaperStream IP	USB	CaptureNow ISIS Level 1 or CaptureNow TWAIN or CaptureNow PSIP	\$950
Fujitsu fi-7260 Flatbed	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	80 sheets	2,000 Scans	8.5" x 14" Flatbed Max: 8.5" x 11.69"	PaperStream IP	USB	CaptureNow ISIS Level 1 or CaptureNow TWAIN or CaptureNow PSIP	\$1,225

¹ Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Perceptive Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Perceptive implementations.

Workgroup Scanners

Scanner Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Daily Duty Cycle	Max. Doc. Size	Software Included	Interface	Req. Capture License	U.S. Price
Fujitsu fi-7180	600 dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	80 sheets	4,000 Scans	8.5" x 14"	PaperStream IP	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN or CaptureNow PSIP	\$1,700
Fujitsu fi-7280 Flatbed	600 dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	80 sheets	4,000 Scans	8.5" x 14" Flatbed Max: 8.5" x 11.69"	PaperStream IP	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN or CaptureNow PSIP	\$2,125
Canon DR-6010c	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	100 Sheets	7,500 Scans	8.6" x 14"	VRS Basic	USB or SCSI	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$2,625
Fujitsu fi-5530cII	600dpi	Simplex: 35 ppm Duplex: 70 ipm (@ 200 dpi)	Simplex: 35 ppm Duplex: 70 ipm (@ 200 dpi)	100 sheets	3,000 Scans	11" x 17"	PaperStream IP	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$2,700
Canon DR-6030c	600dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 200 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 200 dpi)	100 sheets	10,000 Scans	11.8" x 17"	VRS Basic	USB or SCSI	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$3,500
HP Scanjet N9120	600 dpi	Simplex: 50 ppm Duplex: 100 ipm (@ 200 dpi)	Simplex: 50 ppm Duplex: 100 ipm (@ 200 dpi)	200 sheets	5,000 Scans	11.7" x 34"	VRS Pro and AIPE	USB	CaptureNow ISIS Level 2 or CaptureNow Adrenaline	\$4,000

¹ Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Perceptive Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Perceptive implementations.

Production Scanners

Scanner Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Daily Duty Cycle	Max. Doc. Size	Software Included	Interface	Req. Capture License	U.S. Price
Fujitsu fi-6670	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	200 sheets	15,000 Scans	11" x 17"	PaperStream IP	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$5,650
Fujitsu fi-6770 Flatbed	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	200 sheets	15,000 Scans	11" x 17" Flatbed Max: 11" x 17"	PaperStream IP	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$6,575
Canon DR-G1100	600 dpi	Simplex: 100 ppm Duplex: 200 ipm (@ 300 dpi)	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	500 sheets	25,000 Scans	12" x 17" Up to 118.1" Long Document Mode	VRS Basic	USB	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$4,850
Canon DR-G1130	600 dpi	Simplex: 130 ppm Duplex: 260 ipm (@ 300 dpi)	Simplex: 130 ppm Duplex: 260 ipm (@ 200 dpi)	500 sheets	30,000 Scans	12" x 17" Up to 118.1" Long Document Mode	VRS Basic	USB	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$7,250
Canon DR-X10c	600 dpi	Simplex: 120 ppm Duplex: 240 ipm (@ 300 dpi)	Simplex: 120 ppm Duplex: 240 ipm (@ 200 dpi)	500 sheets	60,000 Scans	11" x 17" Up to 39" Long Document Mode	VRS Pro and AIPE	USB or SCSI	CaptureNow Adrenaline only Scanner includes Kofax HVRS – Hardware Virtual ReScan	\$20,450
Fujitsu fi-5950c	600 dpi	Simplex: 105 ppm Duplex: 210 ipm (@ 200 dpi)	Simplex: 105 ppm Duplex: 210 ipm (@ 200 dpi)	500 sheets	100,000 Scans	12" x 17" Up to 34" Long Document Mode	PaperStream IP	USB or SCSI	CaptureNow PSIP only	\$21,750 ²
Fujitsu fi-6800	600 dpi	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	500 sheets	100,000 Scans	12" x 17" Up to 34" Long Document Mode	PaperStream IP	USB or SCSI	CaptureNow PSIP only	\$18,650 ²

¹ Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Perceptive Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Perceptive implementations.

² Discount may be available upon request.

High-Level Production Scanners

Scanner Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Daily Duty Cycle	Max. Doc. Size	Kofax Included	Interface	Req. Capture License	U.S. Price
Kodak i780	300 dpi	Simplex: 130 ppm Duplex: 260 ipm (@ 300 dpi, Landscape Mode)	Simplex: 130 ppm Duplex: 260 ipm (@ 300 dpi, Landscape Mode)	500 sheets	130,000 Scans	12" x 17"	N/A For Use With Kodak Perfect Page Software Only	SCSI (card and cable included)	CaptureNow ISIS Level 3	\$37,300
Kodak i1840	300 dpi	Simplex: 160 ppm Duplex: 320 ipm (@ 200 dpi, Landscape Mode)	Simplex: 160 ppm Duplex: 320 ipm (@ 200 dpi, Landscape Mode)	500 sheets	Unlimited Scans	12" x 17"	N/A For Use With Kodak Perfect Page Software Only	SCSI (card and cable included)	CaptureNow ISIS Level 3	\$62,500
Kodak i1860	300 dpi	Simplex: 200 ppm Duplex: 400 ipm (@ 200 dpi, Landscape Mode)	Simplex: 200 ppm Duplex: 400 ipm (@ 200 dpi, Landscape Mode)	500 sheets	Unlimited Scans	12" x 17"	N/A For Use With Kodak Perfect Page Software Only	SCSI (card and cable included)	CaptureNow ISIS Level 3	\$79,500

¹ Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Perceptive Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Perceptive implementations.

MultiFunction Printers (MFPs)—Laser

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark X954dhe	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$15,499.00
Lexmark X952dte	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$12,499.00
Lexmark X950de	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$9,999.00
Lexmark X925de	600 x 600 dpi	Simplex : 32 ppm Duplex: 12 ipm	Simplex : 32 ppm Duplex: 12 ipm	100	5,000 – 10,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$5,849.00
Lexmark X792dtse	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,399.00
Lexmark X792dtpe	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,899.00
Lexmark X792dtme	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,549.00
Lexmark X792dtfe	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,549.00
Lexmark X792dte	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
Lexmark X792de	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
Lexmark X748dte	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,799.00
Lexmark X748de	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,499.00
Lexmark X746de	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,199.00

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark CX510dthe	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,749.00
Lexmark Cx510dhe	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,549.00
Lexmark CX510de	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,399.00
Lexmark CX410dte	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$999.00
Lexmark CX410de	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	75	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$799.00
Lexmark CX410e	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	75	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$699.00
Lexmark CX310dn	1200 x 600 dpi	Simplex : 32 ppm Duplex: N/A	Simplex : 32 ppm Duplex: N/A	75	500 - 5,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$599.00
Lexmark CX310n	1200 x 600 dpi	Simplex : 32 ppm Duplex: N/A	Simplex : 32 ppm Duplex: N/A	75	500 - 5,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$499.00
Lexmark MX310dn	1200 x 600 dpi	Simplex : 43 ppm Duplex: N/A	Simplex : 20 ppm Duplex: N/A	50	250 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$399.00
Lexmark MX410de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 8 ipm	50	750 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$599.00
Lexmark MX510de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$899.00
Lexmark MX511de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$999.00
Lexmark MX511dte	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,199.00
Lexmark MX511dhe	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,299.00

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark MX610de	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,399.00
Lexmark MX611de	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,499.00
Lexmark MX611dte	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,699.00
Lexmark MX611dhe	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,799.00
Lexmark MX710de	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,299.00
Lexmark MX710dhe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,599.00
Lexmark MX711de	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,199.00
Lexmark MX711dhe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,499.00
Lexmark MX711dthe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,749.00
Lexmark MX810de	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,499.00
Lexmark MX810dfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,799.00
Lexmark MX810dme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,799.00
Lexmark MX810dte	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,749.00
Lexmark MX810dtfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,049.00

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark MX810dtme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,049.00
Lexmark MX810dxe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,999.00
Lexmark MX810dxfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
Lexmark MX810dxme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
Lexmark MX811de	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,099.00
Lexmark MX811dfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,399.00
Lexmark MX811dme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,399.00
Lexmark MX811dte	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,349.00
Lexmark MX811dtfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,649.00
Lexmark MX811dtme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,649.00
Lexmark MX811dxe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,599.00
Lexmark MX811dxfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
Lexmark MX811dxme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
Lexmark MX812de	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,699.00

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark MX812dfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,999.00
Lexmark MX812dme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,999.00
Lexmark MX812dte	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,949.00
Lexmark MX812dtfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,249.00
Lexmark MX812dtme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,249.00
Lexmark MX812dxe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,199.00
Lexmark MX812dxfe	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,499.00
Lexmark MX812dxme	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,499.00
Lexmark X860de 3	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	10,000 - 39,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$7,440.00
Lexmark X860de 4	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	10,000 - 39,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$7,797.14
Lexmark X862dte 3	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$10,252.86
Lexmark X862dte 4	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$10,625.71
Lexmark X864dhe 3	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$13,884.29
Lexmark X864dhe 4	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$14,255.71

Model	Maximum Resolution	Black & White Speed ¹	Color Speed ¹	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark MX6500e Option	600 x 600 dpi	Simplex : 50 ppm Duplex: 86 ipm	Simplex : 36 ppm Duplex: 59 ipm	100	Up to 5,000 per day	11 x 17 (ADF)	Ethernet/USB	CaptureNow TWAIN	\$2,699.00

¹ Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Perceptive Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Perceptive implementations.