



Lexmark™

## Recommended Scanner Guide March 2016

Lexmark Enterprise  
Software  
8900 Renner Blvd  
Lenexa, KS 66219  
USA  
toll-free +1 800 941 7460  
tel +1 913 227 7000  
fax +1 913 495 8800

Lexmark International Technology S.A.  
Bâtiment ICC - Bloc A  
20, route de Pré-Bois  
Case postale 508  
CH - 1215 Genève  
tel +41 (0) 22 710 70 50  
fax +41 (0) 22 710 70 51

© 2013 Perceptive Software  
ImageNow is a registered trademark of Perceptive Software. All other product and company names may be trademarks of their respective owners.

# Selecting a Scanner for Lexmark Enterprise Software

---

Lexmark products are compatible with a wide variety of scanners; the one you choose depends upon your volume and paper handling requirements. Some considerations include:

**Document Conditions:** The first step in determining the best scanner for a particular application is to clearly identify the documents to be scanned. Characteristics include document size, color, and volume; you should also consider the contrast between printed matter and background, as well as the thickness of the paper.

**Paper Handling:** An automatic document feeder (ADF) provides a more productive scan facility, although some flatbed functionality may be appropriate on documents made from unusually thick material or of small size, such as driver's licenses, or for damaged or delicate documents.

**Scan Speed:** Scan volume, document prep, loading and unloading of batches, coffee breaks, and paper jams are all factors affecting scanning speed. It's important to analyze how these factors will affect your capture process when choosing scanners and determining how to distribute your scanning load. One high-speed scanner with distributed indexing makes sense for some environments, where others with the same scan volume are served better with several lower-speed scanners offering greater redundancy.

**Scan Resolution:** The majority of business documents are scanned bi-tonally at 200-300 dpi, although there are some exceptions. Your Lexmark Enterprise Software Implementation Consultant can configure CaptureNow to control your scanner for various levels of scan resolution, color, and other factors to accommodate various document types.

**Scanner Hardware Interface:** SCSI or USB? CaptureNow supports both. The interface you'll use depends on your scanner performance requirements.

Lexmark supports hundreds of scanners. To assist you in selecting the right scanning devices for your organization, this document provides technical specifications and pricing information about specific scanners that have worked well for other Lexmark Enterprise Software customers. These general-use scanners are suited for most normal business documents. If you have unusual document requirements, we can help you identify alternative scanner models that might better suit your needs.

Once you narrow your options, your Lexmark Enterprise Software implementation team can help you rank the final candidates, drawing on their industry experience to help you make the right choice. Please call your account executive for the latest pricing, and note that the CaptureNow software is purchased separately from scanner hardware.

## Document Index

Scanner Classification	Page
Desktop Scanners	2
Workgroup Scanners	3
Production Scanners	4
Mobile Scanners	5
MultiFunction Printers (MFPs)—Laser	6 - 11

## Desktop Scanners

Scanner Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Daily Duty Cycle	Max. Doc. Size	VRS Included	Interface	Req. Capture License	U.S. Price
<b>Canon DR-C240</b>	600 dpi	Simplex: 45 ppm Duplex: 90 ipm (@ 200 dpi)	Simplex: 30 ppm Duplex: 60 ipm (@ 150 dpi)	60 sheets	4,000 Scans	8.5" x 14"	VRS Basic and AIPE	USB 2.0	CaptureNow ISIS Level 2 or CaptureNow Adrenaline	\$825
<b>Canon M160ii</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	60 sheets	7,000 Scans	8.5" x 34" Long Document Mode: Up to 118.1	VRS Elite and AIPE	USB 2.0	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$1,000
<b>Epson DS-860</b>	600 dpi	Simplex: 65 ppm Duplex: 130 ipm (@ 200 dpi)	Simplex: 65 ppm Duplex: 130 ipm (@ 200 dpi)	80 sheets	6,000 Scans	8.5" x 34"	N/A	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN	\$1,125
<b>Fujitsu fi-7160</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	80 sheets	2,000 Scans	8.5" x 14" Up to 122" Long Document Mode	N/A	USB	CaptureNow ISIS Level 1 or CaptureNow TWAIN or CaptureNow PSIP	\$1,025
<b>Fujitsu fi-7260 Flatbed</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	80 sheets	2,000 Scans	8.5" x 14" Flatbed Max: 8.5" x 11.69"	N/A	USB	CaptureNow ISIS Level 1 or CaptureNow TWAIN or CaptureNow PSIP	\$1,475

<sup>1</sup> Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Lexmark Enterprise Software supports or endorses. Perceptive Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Lexmark Enterprise software implementations.

## Workgroup Scanners

Scanner Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Daily Duty Cycle	Max. Doc. Size	VRS Included	Interface	Req. Capture License	U.S. Price
<b>Fujitsu fi-7180</b>	600 dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	80 sheets	4,000 Scans	8.5" x 14"	N/A	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN or CaptureNow PSIP	\$1,700
<b>Fujitsu fi-7280 Flatbed</b>	600 dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 300 dpi)	80 sheets	4,000 Scans	8.5" x 14" Flatbed Max: 8.5" x 11.69"	N/A	USB	CaptureNow ISIS Level 2 or CaptureNow TWAIN or CaptureNow PSIP	\$2,125
<b>Canon DR-6010c</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 200 dpi)	100 Sheets	7,500 Scans	8.6" x 14"	VRS Basic and AIPE	USB or SCSI	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$2,625
<b>Fujitsu fi-5530cII</b>	600dpi	Simplex: 35 ppm Duplex: 70 ipm (@ 200 dpi)	Simplex: 35 ppm Duplex: 70 ipm (@ 200 dpi)	100 sheets	3,000 Scans	11" x 17"	N/A	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$3,425
<b>Canon DR-6030c</b>	600dpi	Simplex: 80 ppm Duplex: 160 ipm (@ 200 dpi)	Simplex: 80 ppm Duplex: 160 ipm (@ 200 dpi)	100 sheets	10,000 Scans	11.8" x 17"	VRS Basic and AIPE	USB or SCSI	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$3,500
<b>HP Scanjet N9120</b>	600 dpi	Simplex: 50 ppm Duplex: 100 ipm (@ 200 dpi)	Simplex: 50 ppm Duplex: 100 ipm (@ 200 dpi)	200 sheets	5,000 Scans	11.7" x 34"	VRS Pro and AIPE	USB	CaptureNow ISIS Level 2 or CaptureNow Adrenaline	\$4,000

<sup>1</sup> Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Lexmark Enterprise Software supports or endorses. Lexmark Enterprise Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Lexmark Enterprise software implementations.

## Production Scanners

Scanner Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Daily Duty Cycle	Max. Doc. Size	VRS Included	Interface	Req. Capture License	U.S. Price
<b>Fujitsu fi-6670</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	200 sheets	15,000 Scans	11" x 17"	N/A	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$5,650
<b>Fujitsu fi-6770 Flatbed</b>	600 dpi	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	Simplex: 60 ppm Duplex: 120 ipm (@ 300 dpi)	200 sheets	15,000 Scans	11" x 17" Flatbed Max: 11" x 17"	N/A	USB or SCSI	CaptureNow ISIS Level 2 or CaptureNow PSIP	\$6,575
<b>Canon DR-G1100</b>	600 dpi	Simplex: 100 ppm Duplex: 200 ipm (@ 300 dpi)	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	500 sheets	25,000 Scans	12" x 17" Up to 118.1" Long Document Mode	VRS Elite with AIPE	USB 2.0	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$4,950
<b>Canon DR-G1130</b>	600 dpi	Simplex: 130 ppm Duplex: 260 ipm (@ 300 dpi)	Simplex: 130 ppm Duplex: 260 ipm (@ 200 dpi)	500 sheets	30,000 Scans	12" x 17" Up to 118.1" Long Document Mode	VRS Elite with AIPE	USB 2.0	CaptureNow ISIS Level 3 or CaptureNow Adrenaline	\$7,250
<b>Canon DR-X10c</b>	600 dpi	Simplex: 130 ppm Duplex: 260 ipm (@ 300 dpi)	Simplex: 130 ppm Duplex: 260 ipm (@ 200 dpi)	500 sheets	60,000 Scans	11" x 17" Up to 39" Long Document Mode	N/A	USB 2.0 or SCSI-III	CaptureNow ISIS Level 3	\$19,000
<b>Fujitsu fi-5950</b>	600 dpi	Simplex: 105 ppm Duplex: 210 ipm (@ 200 dpi)	Simplex: 105 ppm Duplex: 210 ipm (@ 200 dpi)	500 sheets	100,000 Scans	12" x 17" Up to 34" Long Document Mode	N/A	USB or SCSI	CaptureNow PSIP only	\$21,300 <sup>2</sup>
<b>Fujitsu fi-6800</b>	600 dpi	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	Simplex: 100 ppm Duplex: 200 ipm (@ 200 dpi)	500 sheets	100,000 Scans	12" x 17" Up to 34" Long Document Mode	N/A	USB or SCSI	CaptureNow PSIP only	\$18,650 <sup>2</sup>

<sup>1</sup> Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Lexmark Enterprise Software supports or endorses. Lexmark Enterprise Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Lexmark Enterprise software implementations.

<sup>2</sup> Discount may be available upon request.

## Mobile Scanners

Scanner Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Daily Duty Cycle	Max. Doc. Size	Kofax Included	Interface	Req. Capture License	U.S. Price
<b>Canon P-208II</b>	300 dpi	Simplex: 8 ppm Duplex: 16 ipm (@ 300 dpi)	Simplex: 8 ppm Duplex: 16 ipm (@ 200 dpi)	10 sheets	100 Scans	8.5" x 14"	N/A	USB 2.0 (USB cable powered)	CaptureNow ISIS Level 1	\$200
<b>Canon P-215II</b>	300 dpi	Simplex: 15 ppm Duplex: 30 ipm (@ 300 dpi)	Simplex: 10 ppm Duplex: 18 ipm (@ 200 dpi)	20 sheets	500 Scans	8.5" x 14"	N/A	USB 2.0 (USB cable powered)	CaptureNow ISIS Level 1	\$325

<sup>1</sup> Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Lexmark Enterprise Software supports or endorses. Lexmark Enterprise Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Lexmark Enterprise software implementations.

## MultiFunction Printers (MFPs)—Laser

Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
<b>Lexmark X954dhe</b>	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$15,499.00
<b>Lexmark X952dte</b>	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$12,499.00
<b>Lexmark X950de</b>	600 x 600 dpi	Simplex : 45 ppm Duplex: 27 ipm	Simplex: 36 ppm Duplex: 27 ipm	110	5,000 - 33,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$9,999.00
<b>Lexmark X925de</b>	600 x 600 dpi	Simplex : 32 ppm Duplex: 12 ipm	Simplex : 32 ppm Duplex: 12 ipm	100	5,000 - 10,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$5,849.00
<b>Lexmark X792dtse</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,399.00
<b>Lexmark X792dtpe</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,899.00
<b>Lexmark X792dtme</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,549.00
<b>Lexmark X792dtfe</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,549.00
<b>Lexmark X792dte</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
<b>Lexmark X792de</b>	600 x 600 dpi	Simplex : 49 ppm Duplex: 58 ipm	Simplex : 49 ppm Duplex: 54 ipm	75	2,500 - 17,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
<b>Lexmark X748dte</b>	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,799.00
<b>Lexmark X748de</b>	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,499.00
<b>Lexmark X746de</b>	600 x 600 dpi	Simplex : 35 ppm Duplex: 12 ipm	Simplex : 35 ppm Duplex: 12 ipm	50	3,000 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,199.00

Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
Lexmark CX510dthe	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,749.00
Lexmark Cx510dhe	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,549.00
Lexmark CX510de	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	1,500 - 7,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,399.00
Lexmark CX410dte	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$999.00
Lexmark CX410de	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	75	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$799.00
Lexmark CX410e	1200 x 600 dpi	Simplex : 32 ppm Duplex: 14 ipm	Simplex : 32 ppm Duplex: 14 ipm	75	800 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$699.00
Lexmark CX310dn	1200 x 600 dpi	Simplex : 32 ppm Duplex: N/A	Simplex : 32 ppm Duplex: N/A	75	500 - 5,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$599.00
Lexmark CX310n	1200 x 600 dpi	Simplex : 32 ppm Duplex: N/A	Simplex : 32 ppm Duplex: N/A	75	500 - 5,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$499.00
Lexmark MX310dn	1200 x 600 dpi	Simplex : 43 ppm Duplex: N/A	Simplex : 20 ppm Duplex: N/A	50	250 - 6,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$399.00
Lexmark MX410de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 8 ipm	50	750 - 10,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$599.00
Lexmark MX510de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$899.00
Lexmark MX511de	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$999.00
Lexmark MX511dte	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,199.00
Lexmark MX511dhe	1200 x 600 dpi	Simplex : 43 ppm Duplex: 19 ipm	Simplex : 20 ppm Duplex: 9 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,299.00



Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
<b>Lexmark MX610de</b>	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 12,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,399.00
<b>Lexmark MX611de</b>	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,499.00
<b>Lexmark MX611dte</b>	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,699.00
<b>Lexmark MX611dhe</b>	1200 x 600 dpi	Simplex : 48 ppm Duplex: 21 ipm	Simplex : 32 ppm Duplex: 14 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$1,799.00
<b>Lexmark MX710de</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	50	2,000 - 15,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,299.00
<b>Lexmark MX710dhe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$2,599.00
<b>Lexmark MX711de</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,199.00
<b>Lexmark MX711dhe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,499.00
<b>Lexmark MX711dthe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 25,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,749.00
<b>Lexmark MX810de</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,499.00
<b>Lexmark MX810dfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,799.00
<b>Lexmark MX810dme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,799.00
<b>Lexmark MX810dte</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,749.00
<b>Lexmark MX810dtfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,049.00

Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
<b>Lexmark MX810dtme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,049.00
<b>Lexmark MX810dxe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$3,999.00
<b>Lexmark MX810dxfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
<b>Lexmark MX810dxme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,299.00
<b>Lexmark MX811de</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,099.00
<b>Lexmark MX811dfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,399.00
<b>Lexmark MX811dme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,399.00
<b>Lexmark MX811dte</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,349.00
<b>Lexmark MX811dtfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,649.00
<b>Lexmark MX811dtme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,649.00
<b>Lexmark MX811dxe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,599.00
<b>Lexmark MX811dxfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
<b>Lexmark MX811dxme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,899.00
<b>Lexmark MX812de</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,699.00

Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
<b>Lexmark MX812dfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,999.00
<b>Lexmark MX812dme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,999.00
<b>Lexmark MX812dte</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$4,949.00
<b>Lexmark MX812dte</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,249.00
<b>Lexmark MX812dtme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,249.00
<b>Lexmark MX812dxe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,199.00
<b>Lexmark MX812dxfe</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,499.00
<b>Lexmark MX812dxme</b>	1200 x 600 dpi	Simplex : 70 ppm Duplex: 72 ipm	Simplex : 70 ppm Duplex: 68 ipm	150	5,000 - 35,000	8.5 x 14	Ethernet/USB	CaptureNow TWAIN	\$5,499.00
<b>Lexmark X860de 3</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	10,000 - 39,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$7,440.00
<b>Lexmark X860de 4</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	10,000 - 39,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$7,797.14
<b>Lexmark X862dte 3</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$10,252.86
<b>Lexmark X862dte 4</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$10,625.71
<b>Lexmark X864dhe 3</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$13,884.29
<b>Lexmark X864dhe 4</b>	600 x 600 dpi	Simplex : 55 ppm Duplex: 50 ipm	Simplex : 27 ppm Duplex: 18 ipm	75	15,000 - 50,000	11 x 17	Ethernet/USB	CaptureNow TWAIN	\$14,255.71

Model	Maximum Resolution	Black & White Speed <sup>1</sup>	Color Speed <sup>1</sup>	ADF capacity	Recommended Monthly Page Vol. (Printed Pages)	Max. Doc. Size (inches)	Interface	Required Capture License	U.S. Price
<b>Lexmark MX6500e Option</b>	600 x 600 dpi	Simplex : 50 ppm Duplex: 86 ipm	Simplex : 36 ppm Duplex: 59 ipm	100	Up to 5,000 per day	11 x 17 (ADF)	Ethernet/USB	CaptureNow TWAIN	\$2,699.00

<sup>1</sup> Ideal speed is represented. Actual speed may vary depending upon customer environment, including quality settings. Basic Environment Requirements vary based upon type of scanner.

PLEASE NOTE: This list does not represent the complete list of scanners that Lexmark Enterprise Software supports or endorses. Lexmark Enterprise Software has successfully tested and implemented these models in customer environments, but we cannot predict complications that may arise in every situation. This list was created with the intent of giving potential customers an idea of the scanners that are used most often in Lexmark Enterprise implementations.